Letter for airport and airline security staff regarding the transport of medicine

To Whom It May Concern:

_________(patient's name) is currently a patient in my care and is being treated with growth hormone injections with Norditropin[®] (somatropin) injection. This patient needs to inject growth hormone daily in order to maintain his/her health. This person, parent, or caregiver will therefore be carrying one or more of the following items:

□ Norditropin® FlexPro® 5 mg/1.5 mL, 10 mg/1.5 mL, 15 mg/1.5 mL, and/or 30 mg/3 mL delivery pen(s)

- Disposable needles^a
- □ Biohazard container(s) for waste disposal

For questions about Novo Nordisk products, call **1-800-727-6500**. Please contact my office if you have any patient-specific questions.

Indications and Usage:

What is Norditropin® (somatropin) injection?

Norditropin[®] is a prescription medicine that contains human growth hormone and is used to treat:

- children who are not growing because of low or no growth hormone
- children who are short (in stature) and who have Noonan syndrome, Turner syndrome, or were born small (small for gestational age-SGA) and have not caught-up in growth by age 2 to 4 years
- children who have Idiopathic Short Stature (ISS)
- children who are not growing who have Prader-Willi syndrome (PWS)
- adults who do not make enough growth hormone

Important Safety Information:

Do not use Norditropin[®] if:

- you have a critical illness caused by certain types of heart or stomach surgery, trauma or breathing (respiratory) problems
- you are a child with Prader-Willi syndrome who is severely obese or has breathing problems including sleep apnea
- you have cancer or other tumors
- you are allergic to somatropin or any of the ingredients in Norditropin[®]
- your healthcare provider tells you that you have certain types of eye problems caused by diabetes (diabetic retinopathy)
- you are a child with closed bone growth plates (epiphyses)



^aNeedles are sold separately and may require a prescription in some states.

Please see Important Safety Information throughout. Please see Prescribing Information at <u>https://www.novo-pi.com/norditropin.pdf</u>. **norditropin**[®] (somatropin) injection 5 mg, 10 mg, 15 mg, 30 mg pens

Tips for traveling patients

- Always carry this letter with you to show to airport and security staff regarding the transportation of medications
- Always carry your health insurance cards with you
- Always carry with you the quantity of drugs and needles^a necessary for any possible treatments for the duration of your trip
- When you travel internationally, your medication or needle may not be available on the market in many countries, and many countries may not be able to supply necessary medications or needles or may have limited supplies
- Inform your doctor of any international trip you are taking and the country(ies) you will be visiting
- Call ahead to your hotel or lodging to ensure the availability of a refrigerator for medication in your hotel room. Many hotels will have them available at no charge if notified in advance
- Always carry your treatment kit and medication in your hand luggage. Never check your growth hormone medication
- Do not hesitate to inform the flight crew and/or airport and airline security staff if you feel it is necessary and explain clearly if asked anything about your health care
- Please check with the TSA (www.tsa.gov) for full rules and regulations regarding traveling with medication
- When carrying your medication and supplies in your carry-on, ask airport security to visually inspect them instead of putting them through x-ray scanners

Important Safety Information (cont'd):

Before taking Norditropin[®], tell your healthcare provider about all of your medical conditions, including if you:

- have had heart or stomach surgery, trauma or serious breathing (respiratory problems)
- have had a history of problems breathing while you sleep (sleep apnea)
- have or have had cancer or any tumor
- have diabetes
- are pregnant or breastfeeding, or plan to become pregnant or breastfeed

Tell your healthcare provider about all the medicines you take, including prescription and over-thecounter medicines, vitamins, and herbal supplements. Norditropin® may affect how other medicines work, and other medicines may affect how Norditropin® works.

How should I use Norditropin®?

- Use Norditropin[®] exactly as your health care provider tells you to
- Do not share your Norditropin[®] pens and needles with another person even if the needle has been changed. You may give another person an infection or get an infection from them.

What are the possible side effects of Norditropin[®]?

Norditropin[®] may cause serious side effects, including:

- high risk of death in people who have critical illnesses because of heart or stomach surgery, trauma or serious breathing (respiratory) problems
- high risk of sudden death in children with Prader-Willi syndrome who are severely obese or have breathing problems including sleep apnea
- increased risk of growth of cancer or a tumor that is already present and increased risk of the return of cancer or a tumor in people who were treated with radiation to the brain or head as children and who developed low growth hormone problems. Contact the healthcare provider if you or your

child start to have headaches, or have changes in behavior, changes in vision, or changes in moles, birthmarks, or the color of your skin

- new or worsening high blood sugar (hyperglycemia) or diabetes
- increase in pressure in the skull (intracranial hypertension). If you or your child has headaches, eye problems, nausea or vomiting, contact the healthcare provider
- serious allergic reactions. Get medical help right away if you or your child has the following symptoms: swelling of your face, lips, mouth or tongue, trouble breathing, wheezing, severe itching, skin rashes, redness or swelling, dizziness or fainting, fast heartbeat or pounding in your chest, or sweating
- your body holding too much fluid (fluid retention) such as swelling in the hands and feet, pain in your joints or muscles or nerve problems that cause pain, burning, or tingling in the hands, arms, legs and feet. Tell your healthcare provider if you have any of these signs or symptoms of fluid retention.
- decrease in a hormone called cortisol. Tell your or your child's healthcare provider if you or your child has darkening of the skin, severe fatigue, dizziness, weakness or weight loss
- decrease in thyroid hormone levels
- hip and knee pain or a limp in children (slipped capital femoral epiphysis)
- worsening of pre-existing curvature of the spine (scoliosis)
- severe and constant abdominal pain can be a sign of pancreatitis. Tell your or your child's healthcare provider if you or your child has any new abdominal pain.
- loss of fat and tissue weakness in the area of skin you inject
- increase in phosphorus, alkaline phosphatase, and parathyroid hormone levels in your blood

The most common side effects of Norditropin[®] include:

• injection site reactions and rashes, and headaches

Respectfully,

(Doctor's signature)

(Doctor's name)

(Doctor's telephone number)

^aNeedles are sold separately and may require a prescription in some states.



Please see Important Safety Information throughout. Please see Prescribing Information at <u>https://www.novo-pi.com/norditropin.pdf</u>.

Norditropin[®] and FlexPro[®] are registered trademarks of Novo Nordisk Health Care AG. Novo Nordisk is a registered trademark of Novo Nordisk A/S.

norditropin[®] (somatropin) injection 5 mg, 10 mg, 15 mg, 30 mg pens